



Blue Water Aquatics

AWAY WITH GEESE CATALOG

Revised 2/24

Geese gone. Guaranteed.

Away With Geese features an amber 360° solar-powered light that flashes every two seconds, all night, year-round. The light is scarcely noticeable to humans but is very disruptive to the sleep of the geese, causing them to no longer feel secure. After just a few anxious nights, they find another habitat. There is an Away With Geese unit for every type of landscape.

SATISFACTION GUARANTEED



We offer a 100% satisfaction guarantee on all of our products. If you are not fully satisfied with our product after a 90-day trial, we will offer you a full refund.

MAINTENANCE FREE



Our products are maintenance free. The lights are solar powered and the photo cell automatically activates at dusk and deactivates at sunrise. The units require no upkeep.

UNTROUBLING TO PEOPLE



Our units do NOT effect people. The light proves very annoying to geese, as they have incredibly sensitive eyesight, but to humans the light is dim and scarcely noticeable.

ENVIRONMENT FRIENDLY



Our units are environmentally friendly and have no impact on the natural landscape.

HUMANE FOR THE GEESE



Our products offer a humane solution to goose problems. Though they annoy the geese enough to relocate, they have no ill effect on them.

COST EFFECTIVE & SUSTAINABLE



Our products offer a long lasting, cost effective solution to goose problems. Once properly installed, they will put an end to the problem, once and for all.



Each unit covers a 75-yard radius. Contact Away With Geese for an expert recommendation of what is right for your property today!

The original unit is designed to easily rid private lawns, fields and gardens of unwanted geese, taking only seconds to install and easily moved, if so desired. It is satisfaction guaranteed to deter geese from the freshly-cut grass and water features of yards and prevents additional geese from coming and staying.



RESIDENTIAL UNIT

DESCRIPTION

The Residential Unit is designed to rid private lawns, fields and gardens of unwanted geese. It features an amber 360-degree solar-powered LED light that flashes every two seconds, from dusk to dawn, year-round.

The light is mounted on a cylindrical base comprised of ¼-inch thick ABS black plastic that will never fade, crack, or need to be replaced.

This base mounts on the ABS black plastic 'fin' which encases a ¼ inch galvanized steel metal spike. The fin/spike holds the unit securely into the ground, with the bottom 6 inches penetrating the ground and top 4 inches integrated into the fin, which holds the base.

The design allows for effortless installation—just put the fin/spike into the ground and place the base on top, and then feel free to move when desired.

When installed the unit is 18 inches in height, right at the eye level of the geese.

The light is scarcely noticeable to humans but is very disruptive to the sleep of the geese: it is directly at their eye level, and is annoying to their incredibly sensitive eyesight. Geese choose to sleep in locations that feel safe to them, in which they are free of threats from predators while they rest. The light causes them to no longer feel secure at night. Because geese prefer to sleep and eat in the same area, they will no longer find this area attractive during the day either, and will leave to find another habitat usually after just a few restless nights. To humans, this light is very dim: in 15 years, no one has ever complained about it bothering them.

The LED light component has been specifically designed to be trouble-free and effective. The LED light is integrated with the solar-powered battery, and specially sealed to withstand any weather conditions. The solar panels that span the top of the light only need 15 minutes of sunlight per week to operate, and a fully charged battery (6-8 hours of sunlight) will operate the light for 6 nights. The light is guaranteed for its estimated life of two years, though the average lifespan of a light is 4-5 years.

The unit has a 100-yard effective radius and is incredibly easy to install and use. It is maintenance free, satisfaction guaranteed, and comes with a two-year parts warranty. Fill out our short, free Placement Study for our professional recommendation of the type and number of units, and their most effective placement for your property, via email.

The original unit is designed to easily rid private lawns, fields and gardens of unwanted geese, taking only seconds to install and easily moved, if so desired. It is satisfaction guaranteed to deter geese from the freshly-cut grass and water features of yards and prevents additional geese from coming and staying.



RESIDENTIAL UNIT

SPECS & WARRANTY

WEIGHT: 3 lbs

DIMENSIONS: 4 × 18 in

PRODUCT DIMENSIONS: 18" H x 4" W

PRODUCT WEIGHT: 3 lbs

WARRANTY:

Two-Year Parts Warranty:

All Away With Geese™ products carry a two-year parts warranty. We will replace any part – including the light assembly – that may go bad, for up to two years after the initial purchase, provided that the product was used as directed and not physically damaged or vandalized.

The Industrial Unit is recommended for use in public areas such as athletic fields, industrial areas, and parks, where theft of the unit is a concern. It builds on the success of the Residential Unit with the added security of a steel auger that twists into the ground to avert theft. It is completely worry free—no theft and no geese.



INDUSTRIAL UNIT

DESCRIPTION

The Industrial Unit is recommended for use in public areas such as athletic fields, industrial areas, and parks, where theft of the unit is of concern. Like the Residential Unit, it features an amber 360-degree solar-powered LED light that flashes every two seconds, from dusk to dawn, year-around. The Industrial Unit adds a major level of security that is often time necessary in public places; it is secured with an auger that twists into the ground to avert theft.

The cylindrical base is comprised of ¼ inch thick ABS black plastic that will never fade, crack, or need to be replaced. The light is secured upon a sturdy ¼ inch thick galvanized steel auger which is twisted into the ground. Installation of the Industrial Unit is simple and quick, just like the Residential Unit. However, once installed, removing it is much more challenging. In 15 years, we have never had a report of one being stolen.

The light is scarcely noticeable to humans but is very disruptive to the sleep of the geese: it is directly at their eye level, and is annoying to their incredibly sensitive eyesight. Geese choose to sleep in locations that feel safe to them, such as expansive grassy spaces and/or those that are enclosed by a fence or other border. In these spaces they are free of threats from predators while they rest or sleep at night. The light causes them to no longer feel secure at night. Because geese prefer to sleep and eat in the same area, they will no longer find this area attractive during the day either, and will leave to find another habitat usually after just a few restless nights. To humans, this light is very dim: in 15 years, no one has ever complained about it bothering them.

The LED light component has been specifically designed to be trouble-free and effective. The LED light is integrated with the solar-powered battery, and specially sealed to withstand any weather conditions. The solar panels that span the top of the light only need 15 minutes of sunlight per week to operate, and a fully charged battery (6-8 hours of sunlight) will operate the light for 6 nights. The light is guaranteed for its estimated life of two years, though the average lifespan of a light is 4-5 years.

The unit has a 100-yard effective radius and with features that offer utmost protection against theft. It is maintenance free, satisfaction guaranteed, and comes with a two-year parts warranty. Fill out our short, free Placement Study for our professional recommendation of the type and number of units, and their most effective placement for your property, via email.

The Industrial Unit is recommended for use in public areas such as athletic fields, industrial areas, and parks, where theft of the unit is a concern. It builds on the success of the Residential Unit with the added security of a steel auger that twists into the ground to avert theft. It is completely worry free—no theft and no geese.



INDUSTRIAL UNIT

SPECS & WARRANTY


WEIGHT 4 lbs

DIMENSIONS 4 × 18 in

WARRANTY

Two-Year Parts Warranty:

All Away With Geese™ products carry a two-year parts warranty. We will replace any part – including the light assembly – that may go bad, for up to two years after the initial purchase, provided that the product was used as directed and not physically damaged or vandalized.



The floating Water Unit is recommended for use in ponds, lakes, retention areas and any waterway where unwanted geese are a problem. It is satisfaction guaranteed and is maintenance and worry free; it won't tip or be affected by the elements, and can stay in the water year-round.

WATER UNIT

DESCRIPTION

The Water Unit is recommended for use in ponds, lakes, retention areas and any waterway where unwanted geese are a problem. This floating unit features an amber 360-degree solar-powered LED light that flashes every two seconds, from dusk to dawn, year-round.

The light is mounted on a base comprised of ¼ inch thick ABS black plastic that is configured completely in a one-piece design so there are no seams or points of weakness. It will never fade, crack, or need to be replaced.


The base is specially designed to effectively displace water and maximize its stability, despite any strong winds and possible choppy waters. Boat hulls informed the shape and ratios of the base design; we have never had a report of one tipping over.

5 pounds of added ballast keeps the unit weighted and a built-in eyebolt is used to keep it localized when tethered to a cinder block. With a recommended 10 feet of slack in the line, the unit is able to float in a small circular area, when moved by wind or current. This movement adds an additional level of deterrence for the geese.

NOTE: a cinder block and a tether rope are required for installation, but are not included.

The Water Unit's light is scarcely noticeable to humans but is very disruptive to the sleep of the geese: it is directly at their eye level, and is annoying to their incredibly sensitive eyesight. Geese choose to sleep in locations that feel safe to them, in which they are free of threats from predators while they rest. The safety in the water is why they choose lakes, ponds and other waterways for sleep and/or rest at night. The light causes them to no longer feel secure at night in the water. Because geese prefer to sleep and eat in the same area, they will no longer find the adjacent grassy area attractive during the day either, and will leave to find another habitat, usually after just a few restless nights. To humans, this light is very dim: in 15 years, no one has ever complained about it bothering them.

The LED light component has been specifically designed to be trouble-free and effective. The LED light is integrated with the solar-powered battery, and specially sealed to withstand any weather conditions. The solar panels that span the top of the light only need 15 minutes of sunlight per week to operate, and a fully charged battery (6-8 hours of sunlight) will operate the light for 6 nights. The light is guaranteed for its estimated life of two years, though the average lifespan of a light is 4-5 years. The Water Unit has a 100-yard effective radius and is incredibly effective at deterring geese as it flashed light while also moving with the water. It is maintenance free, satisfaction guaranteed, and comes with a two-year parts warranty. Fill out our short, free Placement Study for our professional recommendation of the type and number of units, and their most effective placement for your property, via email.



The floating Water Unit is recommended for use in ponds, lakes, retention areas and any waterway where unwanted geese are a problem. It is satisfaction guaranteed and is maintenance and worry free; it won't tip or be affected by the elements, and can stay in the water year-round.

WATER UNIT

SPECS & WARRANTY

WEIGHT 12 lbs

DIMENSIONS 15 × 11 in

PRODUCT DIMENSIONS 11" H x 15" W

PRODUCT WEIGHT 12 lbs

WARRANTY

Two-Year Parts Warranty:

All Away With Geese™ products carry a two-year parts warranty. We will replace any part – including the light assembly – that may go bad, for up to two years after the initial purchase, provided that the product was used as directed and not physically damaged or vandalized.



The Dock Unit is recommended for docks where geese congregate, and to control geese on the land and water immediately around the dock. The Unit is satisfaction guaranteed to deter geese from the marinas and docks that geese find so secure, and is easily taken on and off of the included Bracket.

DOCK UNIT

DESCRIPTION

The Dock Unit is recommended for docks where geese they congregate to be safe from predators, and to control geese on the land and water immediately surrounding the dock. It is useful for those who have restrictions on having things stay in their waterfront. It features an amber 360-degree solar-powered LED light that flashes every two seconds, from dusk to dawn, year-around.

Like the Residential Unit, the light is mounted on a cylindrical base comprised of ¼-inch thick ABS black plastic that will never fade, crack, or need to be replaced.

Installation is simple; the base inserts into the galvanized steel Dock Bracket that is bolted to the side of the dock. Additional Dock Bracket(s) can be purchased to change the location of the Dock Unit between different areas of the dock, which adds an additional level of deterrence.

The light is scarcely noticeable to humans but is very disruptive to the sleep of the geese: it is directly at their eye level, and is annoying to their incredibly sensitive eyesight. Geese choose to sleep at marinas, on docks, and at other locations that feel safe to them, in which they are free of threats from predators while they rest, and where they have a good vantage point of the surrounding area. The light causes them to no longer feel secure at night. Because geese prefer to sleep and eat in the same area, they will no longer find this area attractive during the day either, and will leave to find another habitat usually after just a few restless nights. To humans, this light is very dim: in 15 years, no one has ever complained about it bothering them.

The LED light component has been specifically designed to be trouble-free and effective. The LED light is integrated with the solar-powered battery, and specially sealed to withstand any weather conditions. The solar panels that span the top of the light only need 15 minutes of sunlight per week to operate, and a fully charged battery (6-8 hours of sunlight) will operate the light for 6 nights. The light is guaranteed for its estimated life of two years, though the average lifespan of a light is 4-5 years.

The unit has a 100-yard effective radius and is useful for deterring geese from docks, marinas, and the adjacent land and water areas. It is maintenance free, satisfaction guaranteed, and comes with a two-year parts warranty. Fill out our short, free Placement Study for our professional recommendation of the type and number of units, and their most effective placement for your property, via email.



The Dock Unit is recommended for docks where geese congregate, and to control geese on the land and water immediately around the dock. The Unit is satisfaction guaranteed to deter geese from the marinas and docks that geese find so secure, and is easily taken on and off of the included Bracket.

DOCK UNIT

SPECS & WARRANTY

WEIGHT 4 lbs

DIMENSIONS 4 × 18 in

WARRANTY

Two-Year Parts Warranty:

All Away With Geese™ products carry a two-year parts warranty. We will replace any part – including the light assembly – that may go bad, for up to two years after the initial purchase, provided that the product was used as directed and not physically damaged or vandalized.

The Roof Unit is recommended for use on flat rooftops of commercial buildings where Canada Geese reside. A wide and weighted base safely secures it in place, without penetrating or harming the roof. Prevent costly damage with this maintenance-free and guaranteed unit.



ROOF UNIT

DESCRIPTION

The Roof Unit is recommended for use on flat rooftops of commercial buildings where Canada Geese reside to feel safe from predators. It gets rid of the geese and the abundance of feathers and fecal matter that clog drains, create leaks, and ruin rooftops. The unit has a wide and weighted base, which secures it in place with no penetration or harm to the roof surface. It features an amber 360-degree solar-powered LED light that flashes every two seconds, from dusk to dawn, year-around.

The base of the unit is comprised of ¼ inch thick ABS black plastic that will never fade, crack, or need to be replaced. The base is 14.6 inches wide and deep (at the bottom) and high, with a cap on one side that can be easily unscrewed for a one-time insertion of 50 pounds of sandbox sand (not included) that keeps the unit weighted. The base narrows at the top towards the mount for the light.

Installation of the Roof Unit is simple and quick: just unscrew the cap and pour sand into the opening and screw the cap back in place. Then insert the light, which fits securely into the opening at the top of the base.

The Roof Unit's light is scarcely noticeable to humans but is very disruptive to the sleep of the geese: it is directly at their eye level, and is annoying to their incredibly sensitive eyesight. Geese choose to sleep in locations that feel safe to them, in which they are free of threats from predators while they rest. The safety that they find on the rooftop is why they choose them for sleep and/or rest at night. The light causes them to no longer feel secure at night on the rooftop. Because geese prefer to sleep and eat in the same area, they will no longer find the adjacent grassy area attractive during the day either, and will leave to find another habitat, usually after just a few restless nights.

The LED light component has been specifically designed to be trouble-free and effective. The LED light is integrated with the solar-powered battery, and specially sealed to withstand any weather conditions. Roof Unit's solar panels that span the top of the light only need 15 minutes of sunlight per week to operate, and a fully charged battery (6-8 hours of sunlight) will operate the light for 6 nights. The light is guaranteed for its estimated life of two years, though the average lifespan of a light is 4-5 years.

The unit has a 100-yard effective radius, making the Roof Unit a very economical investment to insure against expensive roof repairs caused by geese. It is maintenance free, satisfaction guaranteed, and comes with a two-year parts warranty. Fill out our short, free Placement Study for our professional recommendation of the type and number of units, and their most effective placement for your property, via email.

The Roof Unit is recommended for use on flat rooftops of commercial buildings where Canada Geese reside. A wide and weighted base safely secures it in place, without penetrating or harming the roof. Prevent costly damage with this maintenance-free and guaranteed unit.



ROOF UNIT

SPECS & WARRANTY

WEIGHT 9 lbs

DIMENSIONS 15 × 15 in

PRODUCT WEIGHT (FILLED) 60 pounds

WARRANTY

Two-Year Parts Warranty:

All Away With Geese™ products carry a two-year parts warranty. We will replace any part – including the light assembly – that may go bad, for up to two years after the initial purchase, provided that the product was used as directed and not physically damaged or vandalized.

The heavy-duty steel Industrial Cage protects the Industrial Unit and is recommended for locations where a person abusing the unit is of concern. The Industrial Cage is mounted over and locked to the Industrial Unit, so that the unit is simultaneously safe from theft and also protected from harm by the Cage.

INDUSTRIAL CAGE



DESCRIPTION

The Industrial Cage is made with 7 pounds of heavy-duty steel to protect your Industrial Unit and is recommended for locations where abuse of the unit by people is a concern (note: The Industrial Cage is only compatible with the Industrial Unit). The Industrial Unit averts theft in public areas by securing into the ground with a galvanized steel auger. The Industrial Cage is then placed around and locked to the Industrial Unit, so that the unit is simultaneously safe from theft and protected from harm by the Cage.

The Cage features heavy-duty steel bars that protect the light from harm, spaced to allow the light to effectively reach the geese at eye level.

While protecting the unit from harm, the solar panel is still free to collect sunlight for charging.

Installation is straight forward: there is a heavy-duty steel circular bottom plate with a slot that slides around the auger at ground level of the installed Industrial Unit and is then secured with a 8 inch landscaping spike.

The Cage is placed over the Unit and secured with a stainless steel rod, which feeds through the bars of the cage, the fitted hole on the side of the base, through the ABS plastic of the bottom of the light, the keyhole of the auger, and then through the other side of the base. The keyhole of the stainless steel rod is then locked the bars of the Cage with included Pad Lock and keys.

The heavy-duty steel of the cage has been finished with a durable all-weather black paint.

Our units are all made of the most durable and high quality materials and are indestructible by weather. However, they are not intended to withstand abuse from people. If you think this might be a problem where you have geese, this Cage is incredible insurance that your investment in the Industrial Unit will be protected.

Fill out our short, free Placement Study for our professional recommendation of the type and number of units, and their most effective placement for your property, via email.

The heavy-duty steel Industrial Cage protects the Industrial Unit and is recommended for locations where a person abusing the unit is of concern. The Industrial Cage is mounted over and locked to the Industrial Unit, so that the unit is simultaneously safe from theft and also protected from harm by the Cage.

INDUSTRIAL CAGE



SPECS & WARRANTY

WEIGHT 8 lbs

DIMENSIONS 6 × 20 in

WARRANTY

Two-Year Parts Warranty:

All Away With Geese™ products carry a two-year parts warranty. We will replace any part – including the light assembly – that may go bad, for up to two years after the initial purchase, provided that the product was used as directed and not physically damaged or vandalized.



Revised 2/24